






Precipitation characteristics in tropical Africa using satellite and in situ observations

**Amin Dezfuli, Charles Ichoku, George Huffman, Karen Mohr
and TAHMO team**


African rainfall: global & regional implications



Atmospheric bridges




(Dezfuli, 2017)



ZAP

Annual cycle of precipitation



Precipitation data sets




- **TMPA: TRMM Multi-Satellite Precipitation Analysis, 3B42 v7**



- **IMERG: Integrated Multi-satellitE Retrievals for GPM, V04A**



- **TAHMO: Trans-African Hydro-Meteorological Observatory**




- **GPCC: Global Precipitation Climatology Centre, 1st Guess Daily**







- **CHIRPS: Climate Hazards Group InfraRed Precipitation with Station**

Number of stations/grid used in GPCC







Classifying rainfall events based on duration & intensity



Three rainfall classes:


- **Weak Convective Rainfall (WCR)**
- **Strong Convective Rainfall (SCR)**
- **Mesoscale Convective System (MCS)**

Characteristics of three rainfall types




Rainfall rate & duration of all rainy events

Rainfall rate (mm/hr)



Duration (min)




- West vs. East Africa: Comparable means, but different percentiles
- IMERG offers advantages over TMPA in capturing the PDF of rainfall intensity for both regions


- Relatively longer duration in East Africa

Surface conditions for different rainfall types



West Africa




East Africa



IMERG-Final Run




Westward propagating MCS in West Africa




Location of stations & rainfall climatology


Number of GPCC stations used in 2015






TAHMO stations






TMPA long-term mean rainfall (1998-2015)






Station 1: Lela Primary School, Kenya




Station 2: Navrongo, Ghana



Station 3: Kumasi, Ghana



Diurnal cycle for additional stations



Evaluation measures: IMERG vs TMPA

- A: hit
- B: false alarm
- C: miss
- D: correct rejection

Prob. of Detection:

$$\frac{A}{A+C}$$

False Alarm Ratio:

$$\frac{B}{A+B}$$

Fractions Brier Score:


$$\frac{A+B}{A+C}$$

Critical Success Index:

$$\frac{A}{A+B+C}$$

Heidke Skill Score:

$$\frac{2(AD-BC)}{(A+C)(C+D)+(A+B)(B+D)}$$



Perfect value: **1** or **0**



Conclusions

- Three classes of rainfall identified using in-situ observations:
 - WCR: Duration < 40 minutes and Intensity < 10 mm/hr
 - SCR: Duration < 80 minutes and Intensity > 10 mm/hr
 - MCS: Duration > 80 minutes and Intensity < 10 mm hr
- SCR + MCS: 75% of total rainfall from 8% of rain events
- Which data to use: depends on region/season/objective
- IMERG-V04 has some advantages due to its half-hourly resolution, but not a clear victory over TMPA!

Articles:

- Dezfuli, A.K., Ichoku, C.M., Mohr, K. and Huffman, G.J., 2017. Precipitation characteristics in West and East Africa, from satellite and in-situ observations. *Journal of Hydrometeorology*, (2017).
- Dezfuli, A.K., et al., 2017. Validation of IMERG Precipitation in Africa. *Journal of Hydrometeorology*, 18(10), pp.2817-2825.